



draw pixel pictures

Jonathan P. Spratte*

2021-01-16 v1.2

Abstract

With `pxpic` you draw pictures pixel by pixel. It was inspired by a [lovely post by Paulo Cereda](#), among other things (most notably a beautiful duck) showcasing the use of characters from the Mario video games by Nintendo in L^AT_EX.

Contents

1	Documentation	2
1.1	Drawing pictures	2
1.1.1	Examples	2
1.2	Setting options	4
1.2.1	Colour syntax	5
1.2.2	Available modes	5
1.3	Other customisation macros	6
1.4	Other macros	6
1.5	Miscellaneous	7
2	Implementation	8
2.1	Options	8
2.2	User macros	9
2.3	Parser	11
2.4	Modes	12
2.5	Pixel and Skip	13
2.6	Parser for colours	13
2.7	Messages	14

Index

16

*jspratte@yahoo.de

1 Documentation

1.1 Drawing pictures

pxpnic supports different input modes, all of them have the same basic parsing behaviour. A *<pixel list>* contains the pixel colours. The image is built line wise from top left to bottom right. Each row of pixels should be a single TeX argument (so either just one token, or a group delimited by {}), and within each line each pixel in turn should be a single TeX argument (so either just one token, or a group delimited by {}). Spaces and hence single newlines in the sources between *<pixel list>* elements are ignored. The different modes are explained in [subsubsection 1.2.2](#). The only disallowed token in the *<pixel list>* is the control sequence \pxpic@end (plus the usual restrictions of TeX so no unbalanced braces, no macros defined as \outer).

There is a small caveat however: **pxpnic** draws each pixel individually, and there is really no space between them, however some PDF viewers fail to display such adjacent lines correctly and leave small gaps (basically the same issue which packages like colortbl suffer from as well). In print this shouldn't be an issue, but some rasterisation algorithms employed by viewers and conversion tools have this deficit.

```
\pxpic \pxpic[<options>]{<pixel list>}
```

<options> might be any options as listed in [subsection 1.2](#), and *<pixel list>* is a list of pixels as described above. \pxpic parses the *<pixel list>* and draws the corresponding picture. The result is contained in an \hbox and can be used wherever TeX expects an \hbox. As a result, when you're in vertical mode a \pxpic will form a text line, to prevent this you can use \leavevmode before it. The \pxpic will be bottom aligned, you can change this using \raisebox (or, if you want, TeX's \raise and \lower primitives).

1.1.1 Examples

Since the above explanation of the *<pixel list>* syntax might've been a bit cryptic, and a good documentation should contain examples (this doesn't claim this documentation is *good*), well, here are some examples (you might need to take a look at [subsection 1.2](#) and [subsubsection 1.2.2](#) to fully understand the examples). Examples in this section will use the following \pxpicsetup:

```
\pxpicsetup
{
    mode      = px
    ,colours  = {k=black, r=[HTML]#9F393D, g=green!75!black, b=[rgb]{0,0,1}}
    ,skip     =
    ,size     = 10pt
}
```


We can draw a small cross rather easily:

```
\pxpic
{
    {.k}
    {kkk}
    {.k}
}
```




A small multicoloured grid:

```
\pxpic
{
    {brgk}
    {kbrg}
    {gkbr}
    {rgkb}
}
```



A heart (shamelessly copied example from **PixelArt**):

```
\pxpic
{
    {..rr.rr}
    {.rrrrrrr}
    {rrrrrrrrr}
    {rrrrrrrrr}
    {rrrrrrrrr}
    {.rrrrrrr}
    {..rrrr}
    {...rr}
    {....r}
}
```




Using mode=rgb to draw a short coloured line:

```
\pxpic[mode=rgb]{{1,0,1}{1,1,0}{0,1,1}}
```




A multicoloured grid using skips and mode=cmy:

```
\pxpic[mode=cmy]
{
    {{1,0,1} {1,1,0} {0,1,1} {}   }
    {{}       {1,0,1} {1,1,0} {0,1,1}}
    {{0,1,1} {}           {1,0,1} {1,1,0}}
    {{1,1,0} {0,1,1} {}           {1,0,1}}
}
```




Showing the difference between a skipped and a white pixel:

```
\pxpicsetup{colours = {w=white}}
\colorbox{gray}{\pxpic{{bbb}{b.b}{bbb}}}
\colorbox{gray}{\pxpic{{bbb}{bwb}{bbb}}}
```




A biggish example: Tux.¹ I put two rows of pixels per code line to reduce the size a bit and the code is displayed tinily.

```
\pxpic
{
    size    = 2.5pt
    ,colours = {:=orange,
                '=black!10,
                g=black!75,
                O=orange!80!black}
}
{
    .....gggg}      {.....ggggkkkk}
    .....gkkkkkkkg} {.....gkkkkkkkkkg}
    .....kkkkkkkkk} {.....gkk.kkkkk.kkk}
    .....gk.k.kk.k.kk} {.....gk.k.kk.k.kk}
    .....gkkkkkkkkkk} {.....gkkk:::::kkkk}
    .....gk::::::::::kk} {.....gk..kkkk:kkkk}
    .....gkk::::::::::kkk} {.....gkk....'kkkk}
    .....gkk....'kkkk} {.....gkk.....'kkkk}
    .....gk.....'kkkk} {.....gk.....'kkkk}
    .....gkk.....'kkkk} {.....gk.....'kkkk}
    ...gkgg.....'kkkk} {...gkkkk.....'kkkk}
    ...OOOOOkk.....'KKKKK} {..O:::kkk.....'O:::O}
    /O:::::kk.....'kkk:::::O} {/O:::::kkk...'kkk:::::O}
    /O:::::kkk...'kkk:::::Oj {/O:::::kkk...'kkk:::::Oj}
    /O:::::kkkkkkkk:::::Oj {/O:::::kkkkkkkk:::::Oj}
    ...OO:::O.kkkkkk.O:::Oj {.....OO.....OOj}
```



¹Source: https://www.reddit.com/r/linux/comments/hwpm9j/tux_pixel_art_v10/

Just for Paulo, a duck. Also, showing that the colour definitions in mode=px can be arbitrary tokens or multiple letters:



Another example might be the definition of \pxpiclogo in subsection 2.2.

Who still needs picture-mode or complicated packages like pstricks or TikZ with such pretty pictures?

1.2 Setting options

To control its behaviour `\pxpcte` uses a key=value interface powered by `\expkv`. Options can be set either in the optional argument of `\xpcte` or with

\pxpicsetup \pxpicsetup{*options*}

Sets the *options* locally to the current TeX group.

Package options are not supported.

The available options are

colors=<colour list>

Define pixel colours for mode=px, see [subsubsection 1.2.1](#) for a description of the value's syntax. No pixel definitions are made by the package.

colours

see colors.

color-list=<*choice*>

loads a previously through \pxpicnewcolorlist defined colour list. No colour lists are defined by the package.

colour-list *see color-list.*

gap-hack=<*dimen*>

To fix the issues with visible gaps in PDF viewers you can introduce some negative kerns to make the pixels overlap (lines overlap to the top, pixels to the left). This option expects a dimension as its value. A positive value will (maybe) close the gaps, a negative value will introduce real gaps. In any case the outermost pixels' borders still coincide with the borders of the surrounding \hbox. Take a look at my babbling about this issue in subsection 1.5.

ht=<dimen> Set the height of the pixels.

`mode=<choice>`

Set the used mode, see [subsubsection 1.2.2](#) for available modes. Initial value is px.

- `size=<dimen>`
 - Set both `ht` and `wd`. Initial value is `1.0pt`.
- `skip=<dimen>`
 - Define the value to be a skip (an empty space of width `wd`) in `mode=px`. No skip definitions are made by the package.
- `wd=<dimen>` Set the width of the pixels.

1.2.1 Colour syntax

In the value of the `colours` option you'll have to use the following syntax. Use a comma separated key=value list in which each key corresponds to a new pixel name for `mode=px`, and each value to the used colour. If the colour starts with an opening bracket use the complete value as is behind `\color`, else use the whole value as the first mandatory argument to `\color` with a set of braces added. For example to define `r` as the named colour `red`, and `x` as the colour `#abab0f` (in the HTML colour model) use:

```
colours = {r=red, x=[HTML]{abab0f}}
```

1.2.2 Available modes

- `px` As already mentioned, `\pxp[te]` supports different modes of input. The easiest to use mode is `px`, in which each element of the `<pixel list>` has been previously defined as either a coloured pixel (using the `colour` option) or as a skipped pixel (using the `skip` option, resulting in a fully transparent pixel). Each element will be `\detokenized`, so (within TeX's limitations) the name of a pixel can be arbitrary. This is the initial mode `\pxp[te]` uses. But other options are available as well.
- `named` Another mode is `named`, in which each element of the `<pixel list>` should be a named colour (or colour expression) known to `xcolor`. Each element will be used like so: `{\color{<element>}\px}`. An exception is an element which is empty `({})`, which will be a skipped pixel.

`rgb, cmy, cmyk, hsb, Hsb, tHsb, gray, RGB, HTML, HSB, Gray, wave`

The modes `rgb`, `cmy`, `cmyk`, `hsb`, `Hsb`, `tHsb`, `gray`, `RGB`, `HTML`, `HSB`, `Gray`, and `wave` correspond to the different colour models supported by `xcolor`. With these modes each element of the `<pixel list>` will be the values in these colour models, so they'll be used like so: `{\color[<mode>]{<element>}\px}`. An exception is an element which is empty `({})`, which will be a skipped pixel.

You can define additional modes selectable with the `mode` option using the macros `\pxpicnewmode` or `\pxpicsetmode`.

1.3 Other customisation macros

`\pxpicnewmode`
`\pxpicsetmode`

`\pxpicnewmode{\name}{\definition}`

You can define your own modes with `\pxpicnewmode`. Inside `\definition` #1 is the currently parsed item in the `\pxpic` *pixel list*. You can output a pixel using `\px`, and skip a pixel using `\pxskip`. The pixel will use the currently active colour (so if you want to draw a red pixel you could use `\color{red}\px`). `\pxpicnewmode` will throw an error if you try to define a mode which already exists, `\pxpicsetmode` has no checks on the name.

`\pxpicnewcolorlist`
`\pxpicsetcolorlist`
`\pxpicaddcolorlist`

`\pxpicnewcolorlist{\name}{\colourlist}`

This defines a colour list (to be used with the `colour-list` option). The syntax of `\colourlist` is the same as for the `colours` option. The pixels aren't directly defined, but only by the use of `colour-list=\name`. So

`\pxpicnewcolorlist{example}{r=red,b=blue,g=green,k=black,w=white}`
`\pxpicsetup{colour-list=example}`

would have the same effect as

`\pxpicsetup{colours={r=red,b=blue,g=green,k=black,w=white}}`

but a `colour-list` is more efficient if used multiple times. The `new` variant will only throw an error if the colour list `\name` is already defined. The `set` variant has no such tests, and the `add` variant will add additional colours to an existing list.

`\pxpicforget`

`\pxpicforget{\px}`

Undefines the `\px` definition for use in `mode=px` (or `skip` symbol) added with the `colours` (or `skip`) option.

1.4 Other macros

`\px`
`\pxskip`

Inside of a `\pxpic` the macro `\px` draws a pixel (of the currently active colour), and `\pxskip` leaves out a pixel (so this one pixel is fully transparent). Use this in the `\definition` of a mode in `\pxpicnewmode`.

`\pxpicHT`
`\pxpicWD`

These two are `dimen` registers storing the height and width of the pixels.

`\pxpiclogo`

`\pxpiclogo[\size]`

This draws the logo of **pxpic**. The `\size` controls the pixel size.


1.5 Miscellaneous

If you find bugs or have suggestions I'll be glad to hear about it, you can either open a ticket on Github (https://github.com/Skillmon/ltx_pxpic) or email me (see the first page).

A similar package is **PixelArt**, which, as of writing this, is described as a "working draft" by its author. **pxpic** wasn't intended as a direct competitor (I already started coding **pxpic** when I learned about **PixelArt**'s existence), but I took inspiration from the "Bugs, Ideas, Undefined behaviours" section of **PixelArt**'s documentation for the syntax of mode=px.

Regarding the gap issue: The pixels are output touching each other with no real gap, however some PDF viewers and tools will display such a gap. To make things even worse, the effect depends on the viewers current magnification. **pxpic** has the gap-hack option to provide some crude hack that might fix the issue, at the cost that the pixels on the far right and bottom are bigger than they were specified to be. Also pixels next to skipped pixels have a different size (skipped pixels don't cover pixels to their left or top as they are transparent). You'll want to find a good trade-off value if you want to use gap-hack, that mitigates the effect but isn't too big (to make the errors less obvious). You can play with the value and decide for yourself what's the lesser evil. Or you do like me, don't use gap-hack and blame the viewers. Here are examples in which you can compare (the gap-hack is chosen way too big in this example and skips are used close to white pixels on purpose, but it illustrates the effects; the third output, not shown in the code, uses a more reasonable gap-hack=.2pt):

```
\pxpicsetup
{
    colours={k=black ,g=green ,w=white }
    ,skip=.
    ,size=10pt
}
\pxpic[gap-hack=2pt]
{
    {kkkk}
    {kggg}
    {kwg.k}
    {kg.gk}
    {kgwk}
    {kkkw}
}
\raise 2pt \pxpic
{
    {kkkk}
    {kggg}
    {kwg.k}
    {kg.gk}
    {kgwk}
    {kkkw}
}
```



2 Implementation

Report who we are

```
1 \ProvidesPackage{pxpic}[2021-01-16 v1.2 draw pixel pictures]
```

and load dependencies

```
2 \RequirePackage{xcolor}
3 \RequirePackage{expkv}
```

\pxpicHT These two variables store the height and width of a pixel.

\pxpicWD

```
4 \@ifdefinable\pxpicHT{\newdimen\pxpicHT}
5 \@ifdefinable\pxpicWD{\newdimen\pxpicWD}
6 \pxpicHTpt
7 \pxpicWD\pxpicHT
```

(End definition for \pxpicHT and \pxpicWD. These variables are documented on page 6.)

\pxpic@kern To fix the visible gaps in some PDF viewers if the user chooses so with the gap-hack option we introduce some \kerns of the length stored in this register.

```
8 \@ifdefinable\pxpic@kern{\newdimen\pxpic@kern}
9 \pxpic@kern\z@
```

(End definition for \pxpic@kern.)

2.1 Options

We define the options using expkv directly (no fancy options are involved and these are just a few anyway).

The first few options are straight forward. We use expkv's name space to actually store the skip and px definitions, hence we use \ekvdefNoVal in the code of skip.

```
10 \protected\ekvdef{pxpic}{size}
11   {\pxpicHT\dimexpr#1\relax\pxpicWD\dimexpr#1\relax}
12 \protected\ekvdef{pxpic}{ht}{\pxpicHT\dimexpr#1\relax}
13 \protected\ekvdef{pxpic}{wd}{\pxpicWD\dimexpr#1\relax}
14 \protected\ekvdef{pxpic}{gap-hack}{\pxpic@kern\dimexpr#1\relax}
15 \protected\ekvdef{pxpic}{skip}{\ekvdefNoVal{pxpic@px}{#1}{\pxskip}}
```

The colours option is parsed using \ekvpars and \pxpic@setcolor.

```
16 \protected\ekvdef{pxpic}{colors}{\ekvpars\pxpic@err@noval\pxpic@setcolor{#1}}
17 \ekvletkv{pxpic}{colours}{pxpic}{colors}
```

And the mode just checks whether the mode macro is defined and lets the auxiliary macro \pxpic@parse@px to the defined mode.

```
18 \protected\ekvdef{pxpic}{mode}
19   {%
20     \@ifundefined{pxpic@parse@px@#1}%
21       {\pxpic@err@unknown@mode{#1}}%
22     {%
23       \expandafter\let\expandafter\pxpic@parse@px
24         \csname pxpic@parse@px@#1\endcsname
25     }%
26   }
```

A similar check is done for the `colour-list` option.

```
27 \protected\ekvdef{pxpic}{color-list}
28   {%
29     \@ifundefined{pxpic@colorlist@#1}%
30       {\pxpic@err@unknown@colorlist{#1}}%
31       {\csname pxpic@colorlist@#1\endcsname}%
32   }
33 \ekvletkv{pxpic}{colour-list}{pxpic}{color-list}
```

2.2 User macros

`\pxpic` `\pxpic@` `\pxpic` expands directly to an opened `\hbox`, the auxiliary `\pxpic@` checks for the optional argument and inserts the rest of the code. We need to set `\baselineskip` to `\pxpicHT` so that the pixels are stacked vertically without gaps. `\pxpic@parse` will parse the `<pixel list>` until `\pxpic@end` is hit. The final `\egroup` closes the `\hbox`. The row-wise output is done via a `\vbox` in which each pixel row will be wrapped inside an `\hbox`. The `\kern` negates a negative `\kern` in `\pxpic@parse` so that the first line isn't moved.

```
34 \@ifdefinable{pxpic}{\protected\def\pxpic{\hbox\bgroup\pxpic@}}
35 \newcommand\pxpic@[2] []
36   {%
37     \vbox
38     {%
39       \pxpicsetup{#1}%
40       \let\px\pxpic@px
41       \let\pxskip\pxpic@skip
42       \advance\pxpicHT\pxpic@kern
43       \advance\pxpicWD\pxpic@kern
44       \baselineskip\pxpicHT
45       \kern\pxpic@kern
46       \pxpic@parse#2\pxpic@end
47     }%
48   \egroup
49 }
```

(End definition for `\pxpic` and `\pxpic@`. These functions are documented on page 2.)

`\pxpicsetup` Just directly defined to call `\expkV`'s parser for the `\pxpic` set.

```
50 \ekvsetdef\pxpicsetup{pxpic}
```

(End definition for `\pxpicsetup`. This function is documented on page 4.)

`\pxpiclogo` The logo is just a biggish pixel picture. The `\lower` will move it down a bit so that it appears correctly aligned on the baseline. Since the logo should be part of a normal sentence in most usages we put `\leavevmode` before it. Also we make sure that the `mode` and `px` definitions are correct.

```
51 \newcommand*\pxpiclogo[1][.13ex]
52   {%
53     \begingroup
54     \pxpicHT\dimexpr#1\relax
55     \pxpicWD\pxpicHT
56     \pxpic@kern\z@
57     \leavevmode
58     \lower3.2\pxpicHT\pxpic
```

```

59     [mode=px, colours={o=[HTML]{9F393D},g=black!75},skip=.]
60     {
61         {.....g}
62         {.....ggg}
63         {.ooo.....ggg....gg}
64         {.oooo...oo....oo...gggg...gg....g.....g}
65         {.oooooooooooo...oooo...oooo...gggggggggg...gggg...gggggg}
66         {.oooo...ooo...oooo...oooo...gggg...gggg...gggg...gggg}
67         {.oooo...ooo...ooo...oooo...gggg...gggg...gggg...gggg}
68         {.oooo...ooo...ooo...oooo...gggg...gggg...gggg...gggg}
69         {.oooo...ooo...ooo...oooo...gggggg...gggg...gggg...gggg}
70         {oooooooooooo...oooo...oooo...gggggggggg...gggg...gggg}
71         {o.oooooooo...oooo...oooo...g...gggggggg...gggg...gggg}
72         {...o.o....o.o...oooo...ggg...g...gg...gg}
73         {...oo...oooo...ggg}
74         {...o...oooo...gg}
75         {....o...oooo...g}
76     }%
77     \endgroup
78 }

```

(End definition for `\pxpiclogo`. This function is documented on page 6.)

\pxpicforget Straight forward, just let the px macro to an undefined macro.

```

79 \newcommand\pxpicforget[1]
80   {\expandafter\let\csname\ekv@name{pxpic@px}\#1\endcsname\pxpic@undef}

```

(End definition for `\pxpicforget`. This function is documented on page 6.)

\pxpicnewmode **\pxpicsetmode** These are pretty simple as well, the new variant will use `\newcommand` which will do the testing for us, the set variant uses `\def`.

```

81 \protected\long\def\pxpicnewmode#1#2%
82   {\expandafter\newcommand\csname pxpic@parse@px\#1\endcsname[1]{#2}}
83 \protected\long\def\pxpicsetmode#1#2%
84   {\long\expandafter\def\csname pxpic@parse@px\#1\endcsname##1{#2}}

```

(End definition for `\pxpicnewmode` and `\pxpicsetmode`. These functions are documented on page 6.)

\pxpicnewcolorlist **\pxpicsetcolorlist** **\pxpicaddcolorlist** **\pxpicsetcolorlist@** **\pxpicaddcolorlist@** The colour list is first parsed with `\ekvparse` inside an `\edef`. `\ekvparse` will prevent the parsed list from further expanding, leaving each list element and `\pxpic@experr@noval` or `\pxpic@setcolor@colorlist` before it. In a second `\edef` these will be expanded, `\pxpic@experr@noval` throwing an error for each element missing a colour definition, and `\pxpic@setcolor@colorlist` testing for an opening bracket (which we do expandably) and leaving the correct definition protected against further expansion. The add variant uses a temporary macro for the parsing part and adds the result to the list holding macro. The second expansion step in set and both in add are done inside a group to revert any definition (also those letting tokens to `\relax` by `\csname`) made at this point except for the list macro itself.

```

85 \protected\def\pxpicnewcolorlist#1%
86   {%
87     \@ifundefined{pxpic@colorlist@#1}%
88       {\pxpicsetcolorlist{#1}}%
89       {\pxpic@err@defined@colorlist{#1}\@gobble}%
90   }

```

```

91 \protected\def\pxpicsetcolorlist#1%
92   {\expandafter\pxpicsetcolorlist@\csname pxpic@colorlist@#1\endcsname}
93 \protected\long\def\pxpicsetcolorlist@#1#2%
94   {%
95     \edef#1{\ekvparse\pxpic@experr@noval\pxpic@setcolor@colorlist{#2}}%
96     \begingroup\edef#1{\endgroup\protected\def\unexpanded{#1}{#1}}%
97     #1%
98   }
99 \protected\def\pxpicaddcolorlist#1%
100  {%
101    \@ifundefined{pxpic@colorlist@#1}%
102      {\pxpic@err@unknown@colorlist{#1}\@gobble}%
103      {\expandafter\pxpicaddcolorlist@\csname pxpic@colorlist@#1\endcsname}}%
104  }
105 \protected\long\def\pxpicaddcolorlist@#1#2%
106  {%
107    \begingroup
108      \edef\pxpic@tmp
109        {\ekvparse\pxpic@experr@noval\pxpic@setcolor@colorlist{#2}}%
110      \edef\pxpic@tmp
111        {%
112          \endgroup
113          \protected\def\unexpanded{#1}{\unexpanded\expandafter{#1}\pxpic@tmp}}%
114        }%
115      \pxpic@tmp
116  }

```

(End definition for `\pxpicnewcolorlist` and others. These functions are documented on page 6.)

2.3 Parser

`\pxpic@ifend`
`\pxpic@ifempty`
`\pxpic@ifbracket`

These are three helper macros. The first just gobbles everything until the next `\pxpic@end`, and we borrow a fast test for an empty argument from `expKV`. The last can be used to check for an opening bracket if used like `\pxpic@ifbracket\pxpic@end #1.\pxpic@end[]\pxpic@end`.

```

117 \long\def\pxpic@ifend#1\pxpic@end{%
118 \let\pxpic@ifempty\ekv@ifempty
119 \long\def\pxpic@ifbracket#1\pxpic@end[#2]\pxpic@end{\pxpic@ifempty{#2}}}

```

(End definition for `\pxpic@ifend`, `\pxpic@ifempty`, and `\pxpic@ifbracket`.)

`\pxpic@openbrace`

For some weirder TeX programming it is sometimes necessary to insert an unmatched opening brace. This code does exactly that if it's expanded twice. It is put into a single macro so that one can `\expandafter` it easier.

```

120 \newcommand*\pxpic@openbrace{\expandafter{\iffalse}\fi}

```

(End definition for `\pxpic@openbrace`.)

`\pxpic@parse`
`\pxpic@done`

The parsing loop is pretty simple, first check whether we're done, else open a new `\hbox` (which will form a row in the `\vbox` placed by `\pxpic@`) in which the inner parsing loop is run. Then call the next iteration. If we're done just gobble the remainder of the current iteration. First we introduce our `\kern` which might fix the gap issue. Another `\kern` is done at the start of each `\hbox` to compensate the unnecessary `\kern` done by the first `\pxpic@parseline`.

```

121 \newcommand\pxpic@parse[1]
122 {%
123   \pxpic@ifend#1\pxpic@done\pxpic@end
124   \kern-\pxpic@kern
125   \hbox{\kern\pxpic@kern\pxpic@parseline#1\pxpic@end}%
126   \pxpic@parse
127 }
128 \long\def\pxpic@done\pxpic@end\kern-\pxpic@kern\hbox#1\pxpic@parse{}

(End definition for \pxpic@parse and \pxpic@done.)

```

\pxpic@parseline The line parsing loop also checks whether we're done, if not we place a pixel using the current definition of \pxpic@parse@px (which will be set by the current mode) and afterwards call the next iteration. If we're done we gobble the remainder of the current iteration and control goes back to \pxpic@parse. Before each pixel we introduce a negative \kern to maybe fix the gap issue by letting the pixels overlap a bit.

```

129 \newcommand\pxpic@parseline[1]
130 {%
131   \pxpic@ifend#1\pxpic@linedone\pxpic@end
132   \kern-\pxpic@kern
133   \pxpic@parse@px{#1}%
134   \pxpic@parseline
135 }
136 \long\def\pxpic@linedone
137   \pxpic@end\kern-\pxpic@kern\pxpic@parse@px#1\pxpic@parseline
138 {}

(End definition for \pxpic@parseline and \pxpic@linedone.)

```

2.4 Modes

The modes define how a single element of the *<pixel list>* is parsed.

\pxpic@parse@px@px \pxpic@parse@px In the px mode we check whether the pixel is defined (using the name space of `\expKV`), if so call it, else throw an error and skip. Since this is also the initial mode we \let the auxiliary macro \pxpic@parse@px to this mode here.

```

139 \newcommand\pxpic@parse@px@px[1]
140 {%
141   \ekvifdefinedNoVal{\pxpic@px}{#1}
142   {\csname\ekv@name{\pxpic@px}{#1}N\endcsname}%
143   {%
144     \pxpic@err@unknown@px{#1}%
145     \pxskip
146   }%
147 }
148 \let\pxpic@parse@px\pxpic@parse@px@px

(End definition for \pxpic@parse@px@px and \pxpic@parse@px.)

```

\pxpic@parse@px@named named just checks whether the skip is empty. If so skip, else call \color with the element and output a pixel.

```

149 \newcommand\pxpic@parse@px@named[1]
150 {%
151   \pxpic@ifempty{#1}

```

```

152      {\pxskip}
153      {{\@declaredcolor{#1}\px}}%
154 }

```

(End definition for `\pxpic@parse@px@named.`)

```

\pxpic@parse@px@rgb
\pxpic@parse@px@cmy
\pxpic@parse@px@cmyk
\pxpic@parse@px@hsb
\pxpic@parse@px@Hsb
\pxpic@parse@px@tHsb
\pxpic@parse@px@gray
\pxpic@parse@px@RGB
\pxpic@parse@px@HTML
\pxpic@parse@px@HSB
\pxpic@parse@px@Gray
\pxpic@parse@px@wave

```

```

155 \def\pxpic@tmp#1%
156 {%
157   \pxpicnewmode{#1}%
158   {%
159     \pxpic@ifempty{##1}%
160     {\pxskip}
161     {{\@undeclaredcolor[#1]{##1}\px}}%
162   }%
163 }
164 \pxpic@tmp{rgb}
165 \pxpic@tmp{cmy}
166 \pxpic@tmp{cmyk}
167 \pxpic@tmp{hsb}
168 \pxpic@tmp{Hsb}
169 \pxpic@tmp{tHsb}
170 \pxpic@tmp{gray}
171 \pxpic@tmp{RGB}
172 \pxpic@tmp{HTML}
173 \pxpic@tmp{HSB}
174 \pxpic@tmp{Gray}
175 \pxpic@tmp{wave}
176 \let\pxpic@tmp\pxpic@undef

```

(End definition for `\pxpic@parse@px@rgb and others.`)

2.5 Pixel and Skip

```

\pxpic@px
\pxpic@skip

```

The actual definition of pixels and skips is stored in macros to which the frontend macros `\px` and `\pxskip` will be let inside of `\pxpic`.

```

177 \newcommand\pxpic@px{\vrule height\pxpicHT width\pxpicWD depth\z@}
178 \newcommand\pxpic@skip{\hskip\pxpicWD}

```

(End definition for `\pxpic@px and \pxpic@skip.`)

2.6 Parser for colours

```

\pxpic@setcolor
\pxpic@setcolor@a
\pxpic@setcolor@b

```

First we test whether the colour starts with an opening bracket or not. Depending on that we either just put the colour after `\color`, or put braces around it (as it then is a colour expression for `xcolor` and just a single argument). `\pxpic@setcolor` defines a `px` in the name space of `expkv` (this has a slight overhead during definition, but `expkv` is fast in checking whether one of its keys is defined or not, and reduces the amount of code in this package).

```

179 \newcommand\pxpic@setcolor[2]

```

```

180   {%
181     \pxpic@ifbracket\pxpic@end#2.\pxpic@end[]\pxpic@end
182       \pxpic@setcolor@a\pxpic@setcolor@b
183       {#1}{#2}%
184   }
185 \newcommand\pxpic@setcolor@a[2]
186   {%
187     \expandafter\def\csname\ekv@name{pxpic@px}{#1}N\endcsname
188       {{\@declaredcolor{#2}\px} }%
189   }
190 \newcommand\pxpic@setcolor@b[2]
191   {%
192     \expandafter\def\csname\ekv@name{pxpic@px}{#1}N\endcsname
193       {{\@undeclaredcolor#2\px} }%
194   }

```

(End definition for `\pxpic@setcolor`, `\pxpic@setcolor@a`, and `\pxpic@setcolor@b`.)

`\pxpic@setcolor@colorlist` This macro should leave the correct code in the input stream to define a single pixel. It is to be used inside of `\edef`, hence using `\unexpanded`, which doesn't have an opening brace directly after it so that the `\pxpic@ifbracket` test is fully expanded. Next we expand `\pxpic@setcolor@a/b` twice (which will expand the `\csname` contained in it) and then leave the opening bracket for `\unexpanded` in the input stream. The code should be used inside a group so that all the implicit definitions to `\relax` done by `\csname` are reverted.

```

195 \newcommand\pxpic@setcolor@colorlist[2]
196   {%
197     \unexpanded\iffalse{\fi
198       \pxpic@ifbracket\pxpic@end#2.\pxpic@end[]\pxpic@end
199         {\expandafter\expandafter\expandafter\pxpic@openbrace\pxpic@setcolor@a}
200         {\expandafter\expandafter\expandafter\pxpic@openbrace\pxpic@setcolor@b}
201         {#1}{#2}%
202     }%
203   }

```

(End definition for `\pxpic@setcolor@colorlist`.)

2.7 Messages

`\pxpic@err@noval` These are just some macros throwing errors, nothing special here.

```

204 \newcommand\pxpic@err@noval[1]
205   {\PackageError{pxpic}{Missing colour definition for name '\detokenize{#1}' }{}}
206 \newcommand\pxpic@err@unknown@px[1]
207   {\PackageError{pxpic}{Unknown pixel '\detokenize{#1}'. Skipping}{}}
208 \newcommand\pxpic@err@unknown@mode[1]
209   {\PackageError{pxpic}{Unknown mode '#1'}{}}
210 \newcommand\pxpic@err@unknown@colorlist[1]
211   {\PackageError{pxpic}{Unknown colour list '#1'}{}}
212 \newcommand\pxpic@err@defined@colorlist[1]
213   {\PackageError{pxpic}{Colour list '#1' already defined}{}}

```

(End definition for `\pxpic@err@noval` and others.)

\pxpic@experr This macro can be used to throw an error expandably. For this an undefined control sequence \pxpic_Error: is used. The group containing \expandafter keeps the definition of \pxpic_Error: local (it is \relax after the \csname) so that it is undefined when it's used. The \@firstofone is needed to get the readable output (now the undefined macro and actual message are always the same argument).

```
214 \def\pxpic@experr#1%
215   {%
216     \long\def\pxpic@experr##1%
217       {%
218         \expandafter\expandafter\expandafter
219         \pxpic@ifend
220           \@firstofone{#1##1}%
221         \pxpic@end
222       }%
223   }%
224 \begingroup\expandafter\endgroup
225 \expandafter\pxpic@experr\csname pxpic_Error:\endcsname
```

(End definition for \pxpic@experr.)

\pxpic@experr@noval With the expandable error throwing mechanism out of the way, the following is straight forward again.

```
226 \newcommand\pxpic@experr@noval[1]
227   {\pxpic@experr{Missing colour definition for '#1'}}
```

(End definition for \pxpic@experr@noval.)

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

P	
\px	<i>6, 40, 153, 161, 188, 193</i>
\pxpic	<i>2, 34, 58</i>
\pxpicaddcolorlist	<i>6, 85</i>
\pxpicforget	<i>6, 79</i>
\pxpicHT	<i>4, 6, 11, 12, 42, 44, 54, 55, 58, 177</i>
\pxpiclogo	<i>6, 51</i>
\pxpicnewcolorlist	<i>6, 85</i>
\pxpicnewmode	<i>6, 81, 157</i>
\pxpicsetcolorlist	<i>6, 85</i>
\pxpicsetmode	<i>6, 81</i>
\pxpicsetup	<i>4, 39, 50</i>
\pxpicWD	<i>4, 6, 11, 13, 43, 55, 177, 178</i>
\pxskip	<i>6, 15, 41, 145, 152, 160</i>
T	
T _E X and L _A T _E X 2 _E commands:	
\pxpic@	<i>34</i>
\pxpic@done	<i>121</i>
\pxpic@end	<i>46, 117, 119, 123, 125, 128, 131, 137, 181, 198, 221</i>
\pxpic@err@defined@colorlist	<i>89, 204</i>
\pxpic@err@noval	<i>16, 204</i>
\pxpic@err@unknown@colorlist	<i>30, 102, 204</i>
\pxpic@err@unknown@mode	<i>21, 204</i>
\pxpic@err@unknown@px	<i>144, 204</i>
\pxpic@experr	<i>214, 227</i>
\pxpic@experr@noval	<i>95, 109, 226</i>
\pxpic@ifbracket	<i>117, 181, 198</i>
\pxpic@ifempty	<i>117, 151, 159</i>
\pxpic@ifend	<i>117, 123, 131, 219</i>
\pxpic@kern	<i>8, 14, 42, 43, 45, 56, 124, 125, 128, 132, 137</i>
\pxpic@linedone	<i>129</i>
\pxpic@openbrace	<i>120, 199, 200</i>
\pxpic@parse	<i>46, 121</i>
\pxpic@parse@px	<i>23, 133, 137, 139</i>
\pxpic@parse@px@cmy	<i>155</i>
\pxpic@parse@px@cmyk	<i>155</i>
\pxpic@parse@px@Gray	<i>155</i>
\pxpic@parse@px@gray	<i>155</i>
\pxpic@parse@px@HSB	<i>155</i>
\pxpic@parse@px@Hsb	<i>155</i>
\pxpic@parse@px@hsb	<i>155</i>
\pxpic@parse@px@HTML	<i>155</i>
\pxpic@parse@px@named	<i>149</i>
\pxpic@parse@px@px	<i>139</i>
\pxpic@parse@px@RGB	<i>155</i>
\pxpic@parse@px@rgb	<i>155</i>
\pxpic@parse@px@tHsb	<i>155</i>
\pxpic@parse@px@wave	<i>155</i>
\pxpic@parseline	<i>125, 129</i>
\pxpic@px	<i>40, 177</i>
\pxpic@setcolor	<i>16, 179</i>
\pxpic@setcolor@a	<i>179, 199</i>
\pxpic@setcolor@b	<i>179, 200</i>
\pxpic@setcolor@colorlist	<i>95, 109, 195</i>
\pxpic@skip	<i>41, 177</i>
\pxpic@tmp	<i>108, 110, 113, 115, 155, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176</i>
\pxpic@undef	<i>80, 176</i>
\pxpicaddcolorlist@	<i>85</i>
\pxpicsetcolorlist@	<i>85</i>